

On page 5, line 25, change "sensitively" to --sensitivity--;
On page 5, line 26, change "structures" to --structure--;
On page 6, line 5, change "contacts" to --contact--;
On page 6, line 11, after "forming" insert --an--;
On page 6, line 11, insert a comma after "structure";
On page 7, line 11, insert commas after "including" and "to";
On page 7, line 18, change "possibly" to --possibility--;
On page 7, line 26, insert a comma after the first occurrence of "long";
On page 7, line 27, insert a comma after "vias";
On page 8, line 5, insert commas after "including" and "to";
On page 9, line 6, insert a comma after "material";
On page 10, line 18, change "opening" to --openings-- and change the second occurrence of "form" to --from--;

On page 12, line 2, change "view" to --views--;
On page 13, line 14, insert a comma after "including";
On page 13, line 15, insert a comma after "to";
On page 14, line 12, insert a comma after "including";
On page 14, line 13, insert a comma after "to";
On page 16, line 2, insert a comma after "188";
On page 16, line 7, delete "gate" and insert --transistor gate members--;
On page 16, line 8, delete "gate" and insert --transistor gate members--; and
On page 16, line 21, insert a comma after "description".

IN THE CLAIMS:

24 rule *which one*
In claim 1, line 7, before "contact" insert --said--;
In claim 2, line 4, after second occurrence of "said" insert --at least one--;
In claim 3, line 7, before "active" insert --one--;